

PASSENGER ENTRANCES



 **LIFT SOLUTIONS**

LIFT SOLUTIONS INC.
1806 S. Lake Stevens Rd. Lake Stevens, WA 98258

1-888-277-8310
info@liftsolutions.net
www.liftsolutions.net

SEPT 2019

PASSENGER ENTRANCE

QUOTE REQUEST FORM



CUSTOMER DATA:

Company: _____

Address: _____

Contact Person: _____

Phone: _____

Quote Needed By: _____ Estimated Ship Date: _____

Original Manufacturer: _____

JOB SITE DATA:

Job Name: _____

Location: _____

Elevator #: _____ Building: _____

Floors: _____

E-mail: _____

DOOR TYPE - (1 1/4 in Thick Panels)

- SINGLE SPEED CENTER OPENING - 1CO
- TWO SPEED CENTER OPENING - 2CO
- SINGLE SPEED SIDE OPENING - 1SO
- TWO SPEED SIDE OPENING - 2SO
- THREE SPEED SIDE OPENING - 3SO

QUANTITY

LANDING DOORS _____

CAR DOORS _____

TRAVEL


TOTAL TRAVEL _____

HANDING

CENTER

LEFT

RIGHT



OPENING WIDTH

- 36 in
- 42 in
- 48 in
- 54 in
- 60 in
- OTHER _____

OPENING HEIGHT

- 84 in
- 96 in
- 108 in
- OTHER _____

FINISH

- PAINT RAL _____ (SEE COLOR CHART)
- STAINLESS STEEL 304 #4
- STAINLESS STEEL 316 #4

- BRONZE MUNTZ #4
- OTHER _____

SILL CONSTRUCTION

- EXTRUDED ALUMINUM
- NICKEL SILVER
- STAINLESS STEEL
- BRONZE

SILL SUPPORT

- PEELLE TOWER STRUCTURE
- STRUCTURAL SUPPORT BY GENERAL CONTRACTOR

DOOR OPERATOR

- STANDARD GAL
- OTHER (TEMPLATE REQUIRED)

HOISTWAY WALL

- THICKNESS _____ in
- MASONRY
- (BLOCK) DRYWALL

FRAME TYPE


- BOLTED KNOCK-DOWN
- WELDED
- WELDED AND MITRED

UNLOCKING KEY LAYOUT

- STD ESCUTCHEON
- TRI-LOK
- NONE

KEYHOLE LOCATION

LOOKING FROM HALLWAY




ONLY REQUIRED FOR CENTER OPENING DOORS

STANDARD CONSTRUCTION SPECIFICATIONS

- 1) Passenger Entrances are 1-1/2 hour fire rated UL labeled
- 2) Door Panels: 16 Gauge Powder Coated, 304 #4, 316 #4 Stainless Steel or Bronze Muntz #4, Face Sheet, 16 gauge Galvanized Back Sheet
- 3) Two Door Guides and one 14 gauge safety retainer per panel
- 4) Standard GAL equipment mounting provisions are included
- 5) Frames: 14 Gauge Powder Coated, #4 Stainless Steel with a 2" square profile (bolted, welded, or welded and mitred)
- 6) Fascia: 16 gauge galvanized with maximum 12 ft floor height maximum (blind fascia for skipped or bypassed floors are non-standard)
- 7) Standard Header and Strut Design: 12 Gauge Galvanized, including Hoistway Material (header, struts, etc.)
- 8) Sill Construction: Aluminum (standard), Nickel Silver, Stainless Steel or Bronze are optional

GROUTED SILL SUPPORT





2

RAL COLOR CHART

RAL 1014 IVORY	RAL 1015 LIGHT IVORY	RAL 1018 ZINC YELLOW	RAL 1019 *** GREY BEIGE SEMI GLOSS	RAL 1023 *** TRAFFIC YELLOW HIGH GLOSS	RAL 3000 *** FLAME RED HIGH GLOSS	RAL 3002 RED	RAL 3003 RUBY RED	RAL 5002 ULTRAMARINE BLUE	RAL 5003 SAPPHIRE BLUE	RAL 5005 SIGNAL BLUE
RAL 5010 GENTIAN BLUE	RAL 5011 STEEL BLUE	RAL 5013 COBALT BLUE	RAL 5015 SKY BLUE	RAL 5017 TRAFFIC BLUE	RAL 5019 CAPRI BLUE	RAL 5021 WATER BLUE	RAL 5024 PASTEL BLUE	RAL 6005 GREEN	RAL 6014 YELLOW OLIVE	RAL 6018 YELLOW GREEN
RAL 6029 MINT GREEN	RAL 7004 SIGNAL GREY	RAL 7006 BEIGE GREY	RAL 7010 *** GREY SANDTEXTURE	RAL 7012 BASALT GREY	RAL 7016 ANTHRACITE GREY	RAL 7021 BLACK GREY	RAL 7030 STONE GREY	RAL 7032 PEBBLE GREY	RAL 7035 LT GREY	RAL 7037 *** DUSTY GREY SEMI GLOSS
RAL 7039 QUARTZ GREY	RAL 7040 GREY	RAL 7043 TRAFFIC GREY	RAL 7044 *** GREY PRIME MATTE	RAL 7045 TELEGREY	RAL 7046 TELEGREY 2	RAL 7047 TELEGREY 4	RAL 9005 JET BLACK	RAL 8017 CHOCOLATE BROWN	RAL 8019 GREY BROWN	RAL 8028 TERRA BROWN
RAL 9001 CREAM	RAL 9002 GREY WHITE	RAL 9003 SIGNAL WHITE	RAL 9016 TRAFFIC WHITE	UNLESS NOTED *** STANDARD PAINT FINISH IS GLOSS FOR 100% COLOR VERIFICATION REQUEST A PAINT CHIP						

1 1/4 in Thick Panels
1 1/2 hr UL Labeled Entrances Sight
Guards
Astragal
Gibs
Retainers
Keyhole Escutcheon
Tower with sill support

DOOR TYPES

Single Speed Center Opening
Two Speed Center Opening
Single Speed Side Opening
Two Speed Side Opening
Three Speed Side Opening

DOOR PANEL CONSTRUCTION

16 GA Front
16 GA Back Sheet

FRAME TYPES

Bolted Knock-Down
Welded
Welded and Mitred

DOOR SILL

Aluminum
Nickel Silver
Stainless Steel
Bronze

DOOR FINISH

Stainless Steel 304 #4
Stainless Steel 316 #4
Bronze Muntz #4
Baked on Powder Coat

FRAME CONSTRUCTION

14 GA Jamb and Header

