TRACTION ELEVATOR PACKAGE QUOTE REQUEST

						000-002-0	5526 i www.iiitsolutioi	15.116
*Company:		*Job Name:						
Address:			*Location:	*Location:		*Location State:		
		*Elevator	*Elevator #:		Building:			
*Contact Person:			*Email				-	
Phone:				Ship Date:				
			Louinatec	Tonip Date.				
Quote Needed By:								
Original Manufacturer:								
	New	Construction		Modernization	า			
GENERAL INFORMATION								
Please include information about your existing equipment in this section.								
Elevator Type (OH, Basement, MRL)				Main Line Voltage	e			
Seismic Zone				Class of Loading				
Machine Room NEMA Rating				ANSI Code Year				
Hoistway NEMA Rating				Operation (Simpl	ex, Duplex,	Group)		
Capacity				Speed				
Travel				Overhead Height				
Cab Height				Pit Depth				
Hoistway Width				Platform Width				
Hoistway Depth				Platform Depth				
Landings				Door Type (Singl	e. Two. Cen	nter)		
Front Openings				Door Width	o, 1110, 0011	101)		
Rear Openings				Door Height				
Existing HP (if MOD)				Existing Rope Dia	meter (if Mo	OD)		
	(Check items t	o be include	d in quote				
Quote Section		G	ROUP 1					
Machine Type: Geared G	Gearless 2:	:1	Single W	/rap Double V	Vrap (CWT%		
LAYOUT DRAWINGS		CAR SAFETY	,	[PLATFO	RM & T0	DE GUARD	
MACHINE		CWT SAFET\	1	[CAR BU	FFERS		
MOTOR		COUNTERWE	EIGHT FRAM	ME [CWT BU	FFERS		
OVERHEAD SHEAVES		CWT FILLER	WEIGHTS	[CAR RA	IL GUID	E SHOES	
ROPE GRIPPER		CAR RAILS		[CWT RA	IL GUID	E SHOES	
HOIST ROPE: Qty Length	1ft 🔲 (CWT RAILS]	FINAL LI		ITCHES	
SHACKLES		RAIL BRACKI	ETS		PIT SWI	TCH		
GOVERNOR	<u>=</u>	CAR FISHPLA		NOTES: _				
GOVERNOR ROPE: Length		CWT FISHPL						
COMPENSATION CHAIN		SLING ASSEI	MBLY					

Quote Section	CONTROLLER	
AC REGENERATIVE DRIVE ATTENDANT SERVICE BATTERY POWER RESCUE SYSTEM BROWNOUT CIRCUIT CAB FAN & LIGHT TIMED OPERATION CAR TO LOBBY SWITCH CODE BLUE CROSS REGISTRATION PANEL DOOR HOLD OPERATION EARTHQUAKE OPERATION EMC/RFI LINE FILTER EMERGENCY POWER OPERATION EMERGENCY POWER OVERLAY	EMT (MASSACHUSETTS) SERVICE ENCLOSURE INTERIOR LIGHTING FIRE PANEL/LOBBY PANEL INTERFACE GFCI DUPLEX OUTLET (Main Enclosure) GOVERNOR SET/RESET SOLENOIDS HALL LANTERN & CHIMES INTERFACE HARMONIC FILTER, 3 PHASE ISOLATION TRANSFORMER LOAD WEIGHING DEVICE LOAD WEIGHING INTERFACE MOTOR/OUTPUT CHOKE PIT FLOOD SWITCH OPERATION SABBATH OPERATION	SECURITY BASIC (Using COP Buttons) SECURITY CARD READER SECURITY KEYED FLOOR LOCKOUT SERIAL PI DRIVER SWING CAR OPERATION MACHINE ROOM PC LIFTNET INTERFACE NEMA 1 ENCLOSURE NEMA 1 LANDING SYSTEM TOC INSPECTION STATION
	EIVTUDEO	
Quote Section	FIXTURES	
Fixtures Finish: MAIN COP SWING APPLIED DOVER RETRO FIT	DP CAR LANTERN SWING HALL STATIONS APPLIED SURFACE DOVER RETRO FIT FLUSH	HALL LANTERN FLOORS HALL PI FLOORS COMBO W/ LANTERN IN HALL STATION
 □ VANDAL RESISTANT □ CARD READER PROVISIONS □ KEYED CAR CALLS □ KEYED HALL CALLS □ SERVICE CABINET 	PHASE I & II FIRE SERVICE ANSI-3 FLAMES HOSPITAL SERVICE / CODE BLUE ADA PHONE WITH GRILLE EMERGENCY LIGHTING IN COP	 VOICE ANNUNCIATOR PRE-WIRE RATH RESCUE STATION JAMB BRAILLE LOBBY PANEL / FIRE PANEL
NOTES:		

Quote Section	CAB	
SHELL: FRONTS/RETURNS FINISH: FINISH SIDE WALLS:	BUMPER RAILS: Size:	Rear Side
FINISH REAR WALL: CANOPY: CEILING TYPE: FAN TYPE: CAR DOOR FINISH:	PADS & HOOKS DOG HOUSE TOP OF CAR HANDRAIL	
NOTES:		
Quote Section	ENTRANCES	
Quote Section BOLTED/KNOCK-DOWN FRAME 2" SQUARE FRAME TOWER SILL SUPPORT KEYHOLE/ESCUTCHEON EXTRA/BLIND FASCIA		ANELS ONLY
BOLTED/KNOCK-DOWN FRAME 2" SQUARE FRAME TOWER SILL SUPPORT KEYHOLE/ESCUTCHEON EXTRA/BLIND FASCIA	WELDED FRAME RADIUS FRAME (Bullnose) SILL SUPPORT BY OTHERS SOUND DEADENING WALL THICKNESS:	
BOLTED/KNOCK-DOWN FRAME 2" SQUARE FRAME TOWER SILL SUPPORT KEYHOLE/ESCUTCHEON EXTRA/BLIND FASCIA	☐ WELDED FRAME ☐ RADIUS FRAME (Bullnose) ☐ SILL SUPPORT BY OTHERS ☐ SOUND DEADENING	
BOLTED/KNOCK-DOWN FRAME 2" SQUARE FRAME TOWER SILL SUPPORT KEYHOLE/ESCUTCHEON EXTRA/BLIND FASCIA FRAME FINISH:	WELDED FRAME RADIUS FRAME (Bullnose) SILL SUPPORT BY OTHERS SOUND DEADENING WALL THICKNESS:	
BOLTED/KNOCK-DOWN FRAME 2" SQUARE FRAME TOWER SILL SUPPORT KEYHOLE/ESCUTCHEON EXTRA/BLIND FASCIA FRAME FINISH: DOOR FINISH:	WELDED FRAME *DOOR PA	
BOLTED/KNOCK-DOWN FRAME 2" SQUARE FRAME TOWER SILL SUPPORT KEYHOLE/ESCUTCHEON EXTRA/BLIND FASCIA FRAME FINISH: DOOR FINISH:	WELDED FRAME RADIUS FRAME (Bullnose) SILL SUPPORT BY OTHERS SOUND DEADENING WALL THICKNESS: SILL FINISH: TABS, NYLUBE GREEN GIBS & SIGHT GUARDS ARE INCLUDE ALS WILL BE PROVIDED WITH CENTER OPENING DOORS	

Quote Section	DOOR OPERATOR
OPERATOR TYPE:	INTERLOCK ASSEMBLY CLOSERS: Reel Spring PARAMETER UNIT
Quote Section	WIRING & MISC
TRAVEL CABLE LENGTH: KELLEM GRIPS QTY: FIRE WIRE ADDITIONAL SHEILDED PAIRS COUNT: SEISMIC SWITCH PIT FLOOD EQUIPMENT	WIRE DUCT TROUGHS CAT-5E CABLE & KIT (High Speed Ethernet Cable) EMT, BOXES, FITTINGS & MOTOR WIRE CWT DERAILMENT DEVICE PIT LADDER

THE FOLLOWING ITEMS ARE NOT INCLUDED AND TO BE BY OTHERS Unless Noted Otherwise

- WALL INSERTS
- RAIL BACKING
- LUBRICANT
- SUPPORT BEAMS
- POWER DISCONNECT
- · OIL
- SMOKE/FIRE/SPRINKLER SYSTEM
- HVAC
- BARRICADES
- PIT & MACHINE ROOM LIGHTING
- SPARE PARTS
- SILL SUPPORT ANGLES

- CARD READER UNITS
- PIT LADDER
- SUMP PUMP
- REMOTE MONITORING SYSTEM
- CAB FLOORING
- ACCESS DOORS
- FALSE CAR FOR INSTALLATION
- JACK STANDS
- INTERCOM SYSTEM
- FIRE SIGNAGE
- CATHODIC PROTECTION
- JACK CASING