

*Company:		*Job Name:	
Address:	*Location:	*Location State:	
	*Elevator #:	Building:	
*Contact Person:		*Email	
Phone:		Estimated Ship Date:	
Quote Needed By:			
Original Manufacturer:			

New Construction

Modernization

**GENERAL INFORMATION**

*Please include information about your existing equipment in this section.*

Elevator Type (OH, Basement, MRL)	
Seismic Zone	
Machine Room NEMA Rating	
Hoistway NEMA Rating	
Capacity	
Travel	
Cab Height	
Hoistway Width	
Hoistway Depth	
Landings	
Front Openings	
Rear Openings	

Main Line Voltage	
Class of Loading	
ANSI Code Year	
Operation (Simplex, Duplex, Group)	
Speed	
Overhead Height	
Pit Depth	
Platform Width	
Platform Depth	
Door Type (Single, Two, Center)	
Door Width	
Door Height	

Quote Section **GROUP 1**

**Machine Type:**  Geared  Gearless  2:1  1:1  Single Wrap  Double Wrap CWT% \_\_\_\_\_

*Check items to be included in quote*

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> LAYOUT DRAWINGS                       | <input type="checkbox"/> CAR SAFETY          | <input type="checkbox"/> PLATFORM & TOE GUARD |
| <input type="checkbox"/> MACHINE                               | <input type="checkbox"/> CWT SAFETY          | <input type="checkbox"/> CAR BUFFERS          |
| <input type="checkbox"/> MOTOR                                 | <input type="checkbox"/> COUNTERWEIGHT FRAME | <input type="checkbox"/> CWT BUFFERS          |
| <input type="checkbox"/> OVERHEAD SHEAVES                      | <input type="checkbox"/> CWT FILLER WEIGHTS  | <input type="checkbox"/> CAR RAIL GUIDE SHOES |
| <input type="checkbox"/> ROPE GRIPPER                          | <input type="checkbox"/> CAR RAILS           | <input type="checkbox"/> CWT RAIL GUIDE SHOES |
| <input type="checkbox"/> HOIST ROPE: Qty _____ Length _____ ft | <input type="checkbox"/> CWT RAILS           | <input type="checkbox"/> FINAL LIMIT SWITCHES |
| <input type="checkbox"/> SHACKLES                              | <input type="checkbox"/> RAIL BRACKETS       | <input type="checkbox"/> PIT SWITCH           |
| <input type="checkbox"/> GOVERNOR                              | <input type="checkbox"/> CAR FISHPLATES      |   |
| <input type="checkbox"/> GOVERNOR ROPE: Length _____ ft        | <input type="checkbox"/> CWT FISHPLATES      |   |
| <input type="checkbox"/> COMPENSATION CHAIN                    | <input type="checkbox"/> SLING ASSEMBLY      |   |

NOTES: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

*Check features to be included in quote*

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> AC REGENERATIVE DRIVE           | <input type="checkbox"/> EMT (MASSACHUSETTS) SERVICE                | <input type="checkbox"/> SECURITY BASIC <i>(Using COP Buttons)</i> |
| <input type="checkbox"/> ATTENDANT SERVICE               | <input type="checkbox"/> ENCLOSURE INTERIOR LIGHTING                | <input type="checkbox"/> SECURITY CARD READER                      |
| <input type="checkbox"/> BATTERY POWER RESCUE SYSTEM     | <input type="checkbox"/> FIRE PANEL/LOBBY PANEL INTERFACE           | <input type="checkbox"/> SECURITY KEYED FLOOR LOCKOUT              |
| <input type="checkbox"/> BROWNOUT CIRCUIT                | <input type="checkbox"/> GFCI DUPLEX OUTLET <i>(Main Enclosure)</i> | <input type="checkbox"/> SERIAL PI DRIVER                          |
| <input type="checkbox"/> CAB FAN & LIGHT TIMED OPERATION | <input type="checkbox"/> GOVERNOR SET/RESET SOLENOIDS               | <input type="checkbox"/> SWING CAR OPERATION                       |
| <input type="checkbox"/> CAR TO LOBBY SWITCH             | <input type="checkbox"/> HALL LANTERN & CHIMES INTERFACE            | <input type="checkbox"/> MACHINE ROOM PC                           |
| <input type="checkbox"/> CODE BLUE                       | <input type="checkbox"/> HARMONIC FILTER, 3 PHASE                   | <input type="checkbox"/> LIFTNET INTERFACE                         |
| <input type="checkbox"/> CROSS REGISTRATION PANEL        | <input type="checkbox"/> ISOLATION TRANSFORMER                      | <input type="checkbox"/> NEMA 1 ENCLOSURE                          |
| <input type="checkbox"/> DOOR HOLD OPERATION             | <input type="checkbox"/> LOAD WEIGHING DEVICE                       | <input type="checkbox"/> NEMA 1 LANDING SYSTEM                     |
| <input type="checkbox"/> EARTHQUAKE OPERATION            | <input type="checkbox"/> LOAD WEIGHING INTERFACE                    | <input type="checkbox"/> TOC INSPECTION STATION                    |
| <input type="checkbox"/> EMC/RFI LINE FILTER             | <input type="checkbox"/> MOTOR/OUTPUT CHOKE                         |  |
| <input type="checkbox"/> EMERGENCY POWER OPERATION       | <input type="checkbox"/> PIT FLOOD SWITCH OPERATION                 |  |
| <input type="checkbox"/> EMERGENCY POWER OVERLAY         | <input type="checkbox"/> SABBATH OPERATION                          |  |

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Fixtures Finish:** \_\_\_\_\_

- |  |  |                                      |   |
|--|--|--------------------------------------|---|
| <input type="checkbox"/> MAIN COP        | <input type="checkbox"/> AUX COP         | <input type="checkbox"/> CAR LANTERN | <input type="checkbox"/> HALL LANTERN<br>FLOORS _____ |
| <input type="checkbox"/> SWING           | <input type="checkbox"/> SWING           |                                      | <input type="checkbox"/> HALL PI<br>FLOORS _____      |
| <input type="checkbox"/> APPLIED         | <input type="checkbox"/> APPLIED         |                                      | <input type="checkbox"/> COMBO W/ LANTERN             |
| <input type="checkbox"/> DOVER RETRO FIT | <input type="checkbox"/> DOVER RETRO FIT |                                      | <input type="checkbox"/> IN HALL STATION              |

*Features checked are included*

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> VANDAL RESISTANT       | <input type="checkbox"/> PHASE I & II FIRE SERVICE    | <input type="checkbox"/> VOICE ANNUNCIATOR        |
| <input type="checkbox"/> CARD READER PROVISIONS | <input type="checkbox"/> ANSI-3 FLAMES                | <input type="checkbox"/> PRE-WIRE                 |
| <input type="checkbox"/> KEYED CAR CALLS        | <input type="checkbox"/> HOSPITAL SERVICE / CODE BLUE | <input type="checkbox"/> RATH RESCUE STATION      |
| <input type="checkbox"/> KEYED HALL CALLS       | <input type="checkbox"/> ADA PHONE WITH GRILLE        | <input type="checkbox"/> JAMB BRAILLE             |
| <input type="checkbox"/> SERVICE CABINET        | <input type="checkbox"/> EMERGENCY LIGHTING IN COP    | <input type="checkbox"/> LOBBY PANEL / FIRE PANEL |

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Items checked are included

- SHELL: \_\_\_\_\_
- FRONTS/RETURNS FINISH: \_\_\_\_\_
- FINISH SIDE WALLS: \_\_\_\_\_
- FINISH REAR WALL: \_\_\_\_\_
- CEILING TYPE: \_\_\_\_\_
- FAN TYPE: \_\_\_\_\_
- CAR DOOR FINISH: \_\_\_\_\_
- CAR SILL FINISH: \_\_\_\_\_
- HANDRAILS: Size: \_\_\_\_\_  Rear  Side
- BUMPER RAILS: Size: \_\_\_\_\_  Rear  Side
- SOUND DEADENING
- PADS & HOOKS
- DOG HOUSE
- TOP OF CAR HANDRAIL

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

- BOLTED/KNOCK-DOWN FRAME
- WELDED FRAME
- \*DOOR PANELS ONLY
- 2" SQUARE FRAME
- RADIUS FRAME
- TOWER SILL SUPPORT
- SILL SUPPORT BY OTHERS
- KEYHOLE/ESCUTCHEON
- SOUND DEADENING
- EXTRA/BLIND FASCIA

FRAME FINISH: \_\_\_\_\_ WALL THICKNESS: \_\_\_\_\_  
DOOR FINISH: \_\_\_\_\_ SILL FINISH: \_\_\_\_\_

**\*\* ENTRANCES WILL INCLUDE 1.5 HOUR UL LABEL**  
STANDARD FIRE TABS, NYLUBE GREEN GIBS & SIGHT GUARDS ARE INCLUDED.  
ASTRAGALS WILL BE PROVIDED WITH CENTER OPENING DOORS

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

*Check items to be included in quote*

- |  |   |
|--|---|
| <input type="checkbox"/> OPERATOR TYPE: _____        | <input type="checkbox"/> HALL TRACKS & HANGERS  |
| HEADER HEIGHT _____                                  | <input type="checkbox"/> INTERLOCK ASSEMBLY   |
| <input type="checkbox"/> CAR TRACK & HANGERS         | <input type="checkbox"/> CLOSERS: <input type="checkbox"/> Reel <input type="checkbox"/> Spring |
| <input type="checkbox"/> CLUTCH                      | <input type="checkbox"/> PARAMETER UNIT   |
| <input type="checkbox"/> DOOR PROTECTION TYPE: _____ |   |

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

*Check items to be included in quote*

- |   |  |
|---|--|
| <input type="checkbox"/> TRAVEL CABLE LENGTH: _____             | <input type="checkbox"/> HATCH WIRE LENGTH: _____          |
| <input type="checkbox"/> KELLEM GRIPS QTY: _____                | <input type="checkbox"/> WIRE DUCT TROUGHES                |
| <input type="checkbox"/> FIRE WIRE                              | <input type="checkbox"/> CAT-5E CABLE & KIT                |
| <input type="checkbox"/> ADDITIONAL SHEILDED PAIRS COUNT: _____ | <input type="checkbox"/> EMT, BOXES, FITTINGS & MOTOR WIRE |
| <input type="checkbox"/> SEISMIC SWITCH                         | <input type="checkbox"/> CWT DERAILMENT DEVICE             |
| <input type="checkbox"/> PIT FLOOD EQUIPMENT                    | <input type="checkbox"/> PIT LADDER                        |

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**THE FOLLOWING ITEMS ARE NOT INCLUDED AND TO BE BY OTHERS**

- |                               |                              |
|-------------------------------|------------------------------|
| • WALL INSERTS                | • CARD READER UNITS          |
| • RAIL BACKING                | • SUMP PUMP                  |
| • LUBRICANT                   | • REMOTE MONITORING SYSTEM   |
| • SUPPORT BEAMS               | • CAB FLOORING               |
| • POWER DISCONNECT            | • ACCESS DOORS               |
| • OIL                         | • FALSE CAR FOR INSTALLATION |
| • SMOKE/FIRE/SPRINKLER SYSTEM | • JACK STANDS                |
| • HVAC                        | • INTERCOM SYSTEM            |
| • BARRICADES                  | • FIRE SIGNAGE               |
| • PIT & MACHINE ROOM LIGHTING | • CATHODIC PROTECTION        |
| • SPARE PARTS                 | • JACK CASING                |
| • SILL SUPPORT ANGLES         |                              |